








Dachart		Loslager nach ...	Spalt Loslager	Dehnfuge nach ...	Spalt Dehnfuge (min.)
Ziegeldach top-fix		13 m	C38/47: 20mm C71/95: 40-50mm ES: 10mm	40 m	20mm
Ziegeldach side-fix		-	C-N: - ES: 10mm	13 m	20mm
Trapezblechdach Direktbefestigung		-	C24-95: - ES: 10mm	2,20m	-
Welleternit- und Sandwichdach		8,50 m	C38/47: 20mm C71/95: 40-50mm ES: 10mm	40 m	20mm
Blechfalzdach		5,90 m	C38/47: 20mm C71/95: 40-50mm ES: 10mm	40 m	20 mm
Abdichtungsbahn top-fix		8,50 m	C38/47: 20mm C71/95: 40-50mm	40 m	20 mm

Dachart		Loslager nach ...	Spalt Loslager	Dehnfuge nach ...	Spalt Dehnfuge (min.)
Flachdach I		25 m	50 mm	50 m	50 mm
		-	-	25 m	50 - 100 cm
Flachdach II		17 m	50 mm	34 m	50 mm
Flachdach III		-	-	40 m	50 mm
Gründach		17 m	C38/47: 20mm C71/95: 40-50mm	40 m	50 mm
Kiesdach		18 m	50 mm	-	-

Fassadenart		Loslager nach ...	Spalt Loslager	Dehnfuge nach ...	Spalt Dehnfuge (min.)
Mauerwerks- fassade		-	ES: 10mm	-	-
Blechfassade		-	ES: 10mm	-	-